

Robust standard manual tyre gauge with fully rubberised protective cover, pressure gauge with bar and psi display. Calibrated, optionally uncalibrated version. Hose length 50 or 300 cm. With brass plug nipple for coupling I.D. 7.2 - 7.8.

Standard type handheld tyre gauge with clip connector, hose rigid

Art. No.	Type No.	Description	Measuring range	Pressure gauge \emptyset mm	Hose connection
114543	39.011	Uncalibrated	0 - 12 bar / 170 psi	63	G 1/4, rigid
114544	39.012	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, rigid

Standard type handheld tyre gauge with clip connector, hose swivelling

Art. No.	Type No.	Description	Measuring range	Pressure gauge \emptyset mm	Hose connection
136799	39.021	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
136800	39.022	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137585	39.023	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137626	39.024	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
116963	39.023D	Uncalibrated, digital pressure gauge	0 - 12 bar / 175 psi	80	G 1/4, swivelling

Standard type handheld tyre gauge with tyre valve connector, hose swivelling

Art. No.	Type No.	Description	Measuring range	Pressure gauge \emptyset mm	Hose connection
136783	39.031	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
136784	39.032	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137642	39.033	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137643	39.034	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
116964	39.033D	Uncalibrated, digital pressure gauge	0 - 12 bar / 175 psi	80	G 1/4, swivelling

Standard type handheld tyre gauge with hold-on connector, hose swivelling

Art. No.	Type No.	Description	Measuring range	Pressure gauge \emptyset mm	Hose connection
136786	39.041	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
136787	39.042	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
116965	39.043D	Uncalibrated, digital pressure gauge	0 - 12 bar / 175 psi	80	G 1/4, swivelling

Standard type handheld tyre with QUIK-LOK connector, hose swivelling

Art. No.	Type No.	Description	Measuring range	Pressure gauge \emptyset mm	Hose connection
137581	39.051	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137582	39.052	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137647	39.053	Calibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling
137648	39.054	Uncalibrated	0 - 12 bar / 170 psi	80	G 1/4, swivelling



39.011



39.021



39.032



39.041



39.023D



39.033D



39.043D



39.023



39.033



39.051



39.054

Accessoires for tyre gauges standard type

Art. No.	Type No.	Description
136789	39.501	Clip-on connector
145773	39.501-1	Clip-on connector
136790	39.502	Tyre valve connector
136791	39.503	Twin hold-on connector
136796	39.702	Pressure gauge Ø 63 mm, Uncalibrated, Connection rear
137699	39.706	Pressure gauge Ø 80 mm, calibrated, Connection rear
137578	39.901	Hose with quick connector, Length 40 cm, G 1/4 rigid
136792	39.601	Hose with quick connector, Length 75 cm, G 1/4 swivelling
136793	39.602	Hose, tyre valve connector, Length 75 cm, G 1/4 swivelling
136794	39.603	Hose with garage connector, Length 75 cm, G 1/4 swivelling
137658	39.801	Hose with quick connector, Length 3 m, G 1/4 swivelling
137661	39.802	Hose with tyre valve connector, Length 3 m, G 1/4 swivelling
137685	39.804	Hose with QUIK-LOK connector, Length 3 m, G 1/4 swivelling
156436	39.707	Multi purpose nozzle set, for inserting into the momentary plug



39.501



39.501-1



39.502



39.503



39.702



39.706



39.901



39.602



39.603



39.801



39.802



39.804



39.707